

**The Ionic Oasis® Foot Bath System**

***Ionic Oasis®, LLC***

2455 South 8<sup>th</sup> Street

Lincoln, NE 68502

Email: [OasisTeam@ionicoasis.com](mailto:OasisTeam@ionicoasis.com)

Web Site: <http://www.ionicoasis.com>

# PLEASE READ THIS ENTIRE MANUAL PRIOR TO USING FOOT BATH

## DISCLAIMER

- The Ionic Oasis® Foot Bath should not be used by individuals, who are epileptic or hemophiliac, or those with a pacemaker or other electrical or electronic implant, implanted organs or on blood thinners. It should also not be used by children under age 4, or during pregnancy or lactation.
- This product is not evaluated by the Food and Drug Administration. Therefore, these statements contained herein are for informational purposes only.
- This product is not intended to diagnose, treat, cure or prevent disease. Ionic Oasis® or its agents makes no medical claims and makes no statements of validation. Always consult with your professional Health Care provider before beginning any health regimen.
- **WARNING:** Never operate any electrical or electronic devices while undergoing your treatment.
- Do not use this product if you have any open sores or wounds that will be in the water.

## ESSENTIAL MINERALS

Because the Ionic Detox process can not discriminate between good essential minerals and bad toxic minerals, it is important to take a good mineral supplement while undergoing Detox sessions to help replace the essential minerals your body needs.

# Setting up the Foot Bath

- We understand not everyone is mechanically inclined. If you have any problems or questions please contact us and we will walk you through the assembly or operation of the unit. **We are not happy unless you are happy with your product.**
- Place the Foot Bath container on the floor. Fill the container with water **to the fill line.**
- Using the charts below, add the appropriate amount of salt for your water conditions and Footbath model, stir until dissolved. The size of the scoop provided with your kit is:
  - Blue scoop = 10cc or roughly 2 Teaspoons

	Using the Large Gray tub (22" X 16")		
	Model I/ MiniOne	Model II/ MiniTwo	Model Pro/ MiniPro
<b>Tap Water</b>	2 Teaspoons	1 ¾ Teaspoons	1 ½ Teaspoons
<b>Soft Water</b>	1 ¾ Teaspoons	1 ½ Teaspoons	1 ¼ Teaspoons

	Using the Smaller White tub (18" X 14")		
	Model I/ MiniOne	Model II/ MiniTwo	Model PRO/ MiniPro
<b>Tap Water</b>	1 ¼ Teaspoons	1 Teaspoon	Just under 1 Teaspoon
<b>Soft Water</b>	1 Teaspoon	¾ Teaspoon	Just under ¾ Teaspoon

- All amounts shown above are for very warm water (approx. 105°F).
- Cold water requires approximately twice the amount of salt.
- Distilled water requires approximately twice the amount of salt.

- **CAUTION!** Adding too much salt will result in an over amperage condition and trip the thermal overload of the power unit, if this happens the power unit will automatically reset itself after it cools down for 15 – 25 minutes. This is because the salt increases the conductivity of the water. The power unit should never get more than warm to the touch.
- You may increase or decrease the salt to achieve the desired results, depending on the type of water you are using. It will vary according to factors such as mineral content and impurities in the water in your particular location. So start with the amount of salt shown in the table above. Never exceed a total of 4 teaspoons of salt (8 teaspoons of salt with distilled water). While any salt will work with the Ionic Oasis® Foot Bath, we recommend unrefined naturally evaporated sea salt, as it contains many natural elements and trace minerals not found in ordinary salt. Sea salt can be purchased at most grocery stores, health food stores, or even a store which sells aquarium products. Iodized salt should be avoided.
- Plug the color coded connection cables into the Array and the power supply. Red to red and black to black. Place the Array into the foot bath container. Be sure the aluminum conducting bar at the top of the Array is not touching the water as this will result in metal contamination of the electrolyte solution and will diminish the effectiveness of the unit.
- **IMPORTANT:** Be sure that the connecting cord is hooked from the power supply to the array prior to plugging the unit in to an outlet. This will avoid any possible damage occurring to the power unit due to the connectors coming into contact with each other.
- Place the power supply on the floor at least 2 feet away from the foot bath to avoid accidentally splashing water into the power supply. Do not place the power supply on a table or a stool where it might get accidentally knocked over into the electrolyte solution. With the power switch on the front panel of the power supply in the **off** position, plug the power unit into the GFCI adapter. Then plug the adapter into a 110 outlet. When you see that the red light on, it is ready to use. The GFCI will need to be reset using the reset button, if the red light is not on.

# Operation of the Ionic Foot Bath


- Now you are ready to begin your session.
- Remove any jewelry that will be in the water to avoid damage to it.
- Turn the power switch on the front panel of the power supply to “ON”; the switch will light up indicating the unit is energized.
- Negative Ion production has now begun. You will notice a small amount of bubbles forming around the stainless steel rods. What you are seeing is water being “split” by the forces of electrolysis into its individual components of Hydrogen and Oxygen. As there is a ratio of two (2) atoms of Hydrogen to one (1) atom of oxygen in every water molecule, there will be more bubbles (Hydrogen), forming around the negative cathode (black) than around the positive anode (red), which is producing Oxygen.
- Place a comfortable chair in front of the foot spa, sit down and place your feet in the electrolyte solution. The session has begun. If your feet tingle uncomfortably, start over with new water and use less salt. Or, if your results after 30 to 40 minutes are not as dramatic as expected, work your way up by adding salt in  $\frac{1}{4}$  teaspoon increments, stirring thoroughly to dissolve the salt before adding more.
- Relax and enjoy the soothing effects of Negative Ion therapy. Normally our bodies are in a positive Ionic state. By immersing ourselves in the flood of Negative Ions produced by the Ionic Foot Bath we radically alter our Bio-energy levels. Stress and tension, drain away as we achieve a more balanced state.
- User friendly and non-pharmacological, Ion therapy acts in a natural way by supporting and activating the body’s own capabilities and releasing its healing potential.
- Most practitioners report that a treatment session of thirty (30) to forty (40) minutes duration twice a week yields the desired results. We recommend you never increase your sessions to more than every other day or 3 times a week. The Model I and Model II yield results in 40 minutes, while our other models yield results in 30 minutes.
- Once you have setup the unit for the first time or two you will probably find it easy and simple to understand and won’t find the need to use the instructions to set it up. If you encounter any problems, refer to the enclosed troubleshooting guide.

# Care and Maintenance

**REPLACE RODS** when you can visually see the positive elements are reduced to approximately 2/3 of their original size. At this time, the rods begin to lose their effectiveness. (The negative elements will show little or no wear.) Refer to the illustrations during the following instructions.

1. Loosen each of the 6 or 8 set screws (**A**) holding the elements in place.
2. Remove the positive elements and discard them. Remove the negative elements and clean them thoroughly.
3. Clean each of the 6 or 8 holes (**B**) in the array with a small brush to remove any corrosion or water deposits which may have formed.
4. Apply a thin coating of the enclosed dielectric compound around the end of each of the 3 or 4 negative elements (**C**) where it was installed into the array. Reinstall these elements into the **POSITIVE** side of the array and tighten the corresponding set screws (**A**).
5. Also apply a thin coating of the compound around the ends (**C**) of a new set of elements for the negative side of the array. Install these elements in the negative side and tighten the corresponding set screws (**A**).

The array is now ready for use.



- **IMPORTANT:** After every use, the Ionic Oasis® generating Array should be thoroughly rinsed with warm water. Precipitates of salt can form on the aluminum conductor bars and over time will cause problems on changing out the conductor rods, if the unit is not rinsed off after each use. The stainless steel rods themselves should also be thoroughly rinsed and wiped down with a paper towel or cloth. This facilitates Ion production when the unit is used for the next session. The array is dishwasher safe. If the rods develop a white coating due to minerals in the water, this can be easily removed with a Brillo or Scotch Brite pad.

## Replacement Rods

A set of (8) replacement 3/8" 304 stainless steel rods: \$20.00  
Plus Actual Shipping Costs:



A set of (6) replacement 1/2" 304 stainless steel rods: \$25.00  
Plus Actual Shipping Costs:

A set of (8) replacement 1/2" 304 stainless steel rods: \$30.00  
Plus Actual Shipping Costs:

## Warranty of Products

The array has a five (5) year warranty to the original owner on defects in materials and workmanship. During the first six (6) months, replacement parts and shipping are free. After six (6) months you pay only for shipping. A receipt or proof of payment is required. Warranty does not cover normal wear of replaceable elements. Damage due to abuse is not covered.

The power units carry a two (2) year manufacturer's warranty.

Model Identification	3/8" elements 	1/2" elements 
Large Gray tub, Array is 8½" long	Model I – 8 elements	Model II – 6 elements Model Pro – 8 elements
Smaller White tub, Array is 4" long	MiniOne – 8 elements	MiniTwo – 6 elements MiniPro – 8 elements

# ***Ionic Oasis®, LLC***

Phone: 402-476-6946

Email: [warranty@ionicoasis.com](mailto:warranty@ionicoasis.com)

Service: [Service@ionicosis.com](mailto:Service@ionicosis.com)

Web Site: <http://www.ionicoasis.com>